





Thule Rapid System Kit 1243

> Instructions

HONDA Civic, 4-dr Sedan, 01-05

HONDA Civic Ferio, 4-dr Sedan, 00-05



ISO 11154-E

141243


C.20121210
519-1243-01

Bring your life

thule.com




06 x4



307 x4






x1



x1

1

	X (scale)	X (mm)	X (inch)
HONDA Civic , 4-dr Sedan, 01-05	30,5	956	37 ⁵ / ₈
HONDA Civic Ferio , 4-dr Sedan, 00-05	30,5	956	37 ⁵ / ₈






	Y (scale)	Y (mm)	Y (inch)
HONDA Civic , 4-dr Sedan, 01-05	29,5	946	37 ¹ / ₄
HONDA Civic Ferio , 4-dr Sedan, 00-05	29,5	946	37 ¹ / ₄

2

HONDA Civic, 4-dr Sedan, 01-05

HONDA Civic Ferio, 4-dr Sedan, 00-05



3

	W (mm)	Z (mm)	W (inch)	Z (inch)
HONDA Civic , 4-dr Sedan, 01-05	250	700	9 7/8	27 1/2
HONDA Civic Ferio , 4-dr Sedan, 00-05	250	700	9 7/8	27 1/2

